

# DIABLO DIGESTIVE CARE

400 Taylor BLVD, Suite 304 PLEASANT HILL, CA 94523

OFFICE: (925) 363-0069 FAX: (925) 363-0077

# ARRIVE 1 HOUR PRIOR TO YOUR SCHEDULED PROCEDURE TIME

Cancellation within 48 hours of your scheduled procedure will result in a \$200 Cancellation Fee

# **Colonoscopy Instructions: SuPrep**

#### FIVE (5) DAYS PRIOR to your Procedure: STOP/DISCONTINUE

- Fiber Agents: Metamucil, Citrucel, Flax, Salads & Raw Vegetables, etc.
- Medication: Oral Iron, Aspirin, NSAIDS (Ibuprofen, Advil, Motrin, Aleve, etc.), Plavix, Effient, Agrylin (some of these medications may require the consent of the prescribing physician)
  - Blood thinners: Coumadin (Discuss with Dr. Chahal if a Lovenox Bridge is required)

## THREE (3) DAYS PRIOR to your Procedure: STOP/DISCONTINUE

• Blood Thinners: Eliquis, Pradaxa, Xarelto (Discuss with Dr. Chahal if a Lovenox Bridge is required)

# Follow PREP TIMING in accordance to your **PROCEDURE TIME** (NOT Arrival Time)

## **PROCEDURE BEFORE 9 AM:**

## 1 Day BEFORE your Procedure:

- Okay to take your routine daily medications & supplements (excluding the ones above) as usual
- NO SOLID FOOD, ONLY clear liquids
  - Coffee & Tea (no milk or creamer), Water, Gatorade, Juices, Broth, Jell-O, etc.
  - o Avoid red or purple drinks & milk products
- SuPrep Preparation: 1<sup>st</sup> bottle at 5 pm and 2<sup>nd</sup> bottle at 10 pm
  - One 6 oz prep bottle into Cup, add water to line (16 oz total)
  - Consume all 16 oz. of prep mix THEN drink 2 more ADDITONAL CUPS (16 oz. each) of the fluid of your choice over next 1 hour

#### Day of Procedure: (See Sedation & Surgery Center Rules below as well)

o Do not take your other routine daily morning medication (take AFTER your procedure)

#### PROCEDURE 9 AM to 12 PM:

### 1 Day BEFORE your Procedure:

- Okay to take your routine daily medications & supplements (excluding the ones above) as usual
- Light breakfast is okay (complete BEFORE 9 am, includes eggs, smoothies, low grain cereal- Avoid high fiber cereal and oatmeal, vegetables).
- AFTER 9 am: NO SOLID FOOD, ONLY clear liquids
- **SuPrep** Preparation: 1<sup>st</sup> bottle at <u>5 pm</u> (Drink fluids as instructed above for SuPrep)

## Day of Procedure: (See Sedation & Surgery Center Rules below as well)

- Take 2<sup>nd</sup> bottle at <u>5 am</u> (Drink fluids as instructed above for SuPrep)
- Okay to take your other daily medication BEFORE 7 am

## PROCEDURE AFTER 12 PM:

### 1 Day BEFORE your Procedure:

- Okay to take your routine daily medications & supplements (excluding the ones above) as usual
- Light breakfast & Light Lunch is Okay (complete BEFORE 12 pm, includes eggs, smoothies, low grain cereal, soups, pasta, rice, chicken & fish. Avoid high fiber cereal, oatmeal, vegetables, red or fatty meat).
- AFTER 12 PM: NO SOLID FOOD, ONLY clear liquids
- SuPrep Preparation: 1<sup>st</sup> bottle at 8 pm

# Day of Procedure: (See Sedation & Surgery Center Rules below as well)

- Take 2<sup>nd</sup> bottle at <u>8 am</u> (Drink fluids as instructed above for SuPrep)
- Okay to take your other daily medication BEFORE 10 am

IF a "2 DAY Prep" is recommended, take 2 tablets of Dulcolax laxative (over the counter) in the morning and evening TWO (2) DAYS PRIOR to your procedure

# SEDATION RULES: ABSOLUTELY NO LIQUID CONSUMPTION 2 HOURS BEFORE A PROCEDURE

### SURGERY CENTER RULES: YOU MUST HAVE SOMEONE TO DRIVE YOU HOME

No Facility will allow a procedure without an identifiable escort available